



## 电机左折-L Motor Left Side



| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注：以上不含电机重量。  
Note: Not including motor weight.

## 电机右折-R Motor Right Side




| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注：以上不含电机重量。  
Note: Not including motor weight.




## 电机左上折-LU Motor Folds on the Upper Left



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |       |       |       |       |       |       |       |       |       |       |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注: 以上不含电机重量。  
Note: Not including motor weight.


## 电机左下折-LD Motor Folds Down Deft



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |       |       |       |       |       |       |       |       |       |       |       |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注: 以上不含电机重量。  
Note: Not including motor weight.


## 电机右上折-RU Motor Folds up on the Right



| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注: 以上不含电机重量。  
Note: Not including motor weight.

## 电机右下折-RD Motor Folds Down on the Right



| 有效行程 | 300  | 350  | 400  | 450  | 500  | 550  | 600  | 650  | 700  | 750  | 800  | 850  | 900  | 950  | 1000 | 1050 | 1100  | 1150  | 1200  | 1250  | 1300  | 1350  | 1400  | 1450  | 1500  | 1550  | 1600  | 1650  |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| L    | 815  | 865  | 915  | 965  | 1015 | 1065 | 1115 | 1165 | 1215 | 1265 | 1315 | 1365 | 1415 | 1465 | 1515 | 1565 | 1615  | 1665  | 1715  | 1765  | 1815  | 1865  | 1915  | 1965  | 2015  | 2065  | 2115  | 2165  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 50   | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    | 100   | 150   | 200   | 50    |
| M    | 2    | 2    | 2    | 3    | 3    | 3    | 3    | 3    | 4    | 4    | 4    | 5    | 5    | 5    | 5    | 6    | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     | 9     |
| N    | 12   | 12   | 12   | 14   | 14   | 14   | 14   | 16   | 16   | 16   | 16   | 18   | 18   | 18   | 18   | 20   | 20    | 20    | 20    | 22    | 22    | 22    | 22    | 24    | 24    | 24    | 24    | 26    |
| KG   | 34.8 | 36   | 37.2 | 38.4 | 39.6 | 40.8 | 42   | 43.2 | 44.4 | 45.6 | 46.8 | 48   | 49.2 | 51.4 | 52.6 | 53.8 | 55    | 56.2  | 57.4  | 58.6  | 59.8  | 61    | 62.2  | 63.4  | 64.6  | 65.8  | 67    | 68.2  |
| 有效行程 | 1700 | 1750 | 1800 | 1850 | 1900 | 1950 | 2000 | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000  | 3100  | 3200  | 3300  | 3400  | 3500  | 3600  | 3700  | 3800  | 3900  | 4000  | 4100  |
| L    | 2215 | 2265 | 2315 | 2365 | 2415 | 2465 | 2515 | 2615 | 2715 | 2815 | 2915 | 3015 | 3115 | 3215 | 3315 | 3415 | 3515  | 3615  | 3715  | 3815  | 3915  | 4015  | 4115  | 4215  | 4315  | 4415  | 4515  | 4615  |
| A    | 100  | 150  | 200  | 50   | 100  | 150  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200  | 100  | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   | 200   | 100   |
| M    | 9    | 9    | 9    | 10   | 10   | 10   | 10   | 11   | 11   | 12   | 12   | 13   | 13   | 14   | 14   | 15   | 15    | 16    | 16    | 17    | 17    | 17    | 18    | 18    | 19    | 19    | 20    | 21    |
| N    | 26   | 26   | 26   | 28   | 28   | 28   | 28   | 30   | 30   | 32   | 32   | 34   | 34   | 36   | 36   | 38   | 38    | 40    | 40    | 42    | 42    | 44    | 44    | 46    | 46    | 48    | 48    | 50    |
| KG   | 69.4 | 70.6 | 71.8 | 73.0 | 74.2 | 75.4 | 76.6 | 79.0 | 81.4 | 83.8 | 86.2 | 88.6 | 91.0 | 93.4 | 95.8 | 98.2 | 100.6 | 103.0 | 105.4 | 107.8 | 110.2 | 112.6 | 115.0 | 117.4 | 119.8 | 122.2 | 124.6 | 127.0 |

注: 以上不含电机重量。  
Note: Not including motor weight.